




EXHIBIT E


EXHIBIT E
Applications of U.S. Patent No. 11,358,780 to the TemperPack ClimaCell


	Claim Term	TemperPack ClimaCell
1pre	A thermal insulation article for placement in a shipping container to hold an item, comprising:	<p>TemperPack and its customers and end-users directly infringe this claim under 35 U.S.C. § 271(a), literally and/or under the doctrine of equivalents, by making, using, selling, offering for sale, and/or importing ClimaCell into the United States.</p> <p>TemperPack indirectly infringes this claim under U.S.C. § 271(b), by making, using, offering for sale, and selling ClimaCell in the United States without authority. TemperPack induces its customers and/or end-users to infringe this claim at least by encouraging, instructing, and aiding one or more persons in the United States, including but not limited to TemperPack's customers and end-users to make and use ClimaCell in a manner that infringes this claim. TemperPack knew or should have known that its actions would induce infringement of this claim.</p> <p>TemperPack also indirectly infringes this claim under U.S.C. § 271(c), by selling, offering for sale, and/or importing ClimaCell into the United States, with the knowledge that ClimaCell is a material component especially made or adapted for use in a shipping container in a manner that would infringe this claim. ClimaCell is not a staple article of commerce capable of substantial noninfringing use.</p> <p>To the extent the preamble is construed to be limiting, TemperPack, its customers, and/or its end-users place ClimaCell into a thermal insulation article for placement in a shipping container to hold an item.</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="747 232 1776 1019"><p data-bbox="1318 232 1776 280">TemperPack</p><p data-bbox="779 477 1121 553"> POLYSTYRENE ALTERNATIVE</p><p data-bbox="779 602 1356 935">ClimaCell thermal liners help you PROTECT perishable shipments without unnecessary plastic waste.</p></div> <p data-bbox="1010 1024 1514 1057">https://www.temperpack.com/climacell</p> <p data-bbox="632 1097 1881 1162">TemperPack tests the thermal performance of ClimaCell in shipping containers holding an item in its in-house thermal transport lab.</p>





	Claim Term	TemperPack ClimaCell
		<div data-bbox="863 232 1663 1260"><div data-bbox="894 240 1230 391">ISTA® LABORATORY CERTIFICATION</div><div data-bbox="894 435 1276 672"><p>We've demonstrated a strong commitment to packaging excellence by making Proving Ground an ISTA Certified Thermal Transport Lab. Specifically, our team is certified by the highest authorities in the field to design and qualify thermal packaging solutions per the ISTA Standard 20 protocol.</p></div><div data-bbox="894 922 1121 1149"><p>\$1MM+</p><p>WE'VE INVESTED OVER A MILLION DOLLARS INTO BUILDING A STATE-OF-THE-ART THERMAL TRANSPORT LAB TO BETTER SERVE OUR CLIENTS' NEEDS.</p></div><div data-bbox="1163 407 1642 1260"></div></div> <div data-bbox="659 1263 1866 1338"><p>https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p></div>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="739 232 1785 755"><p data-bbox="1094 232 1440 354">Your one-stop-shop for pack-out design, testing, qualification, and supply.</p><p data-bbox="1066 362 1467 459">We don't think you should have to coordinate multiple vendors just to ensure all of your shipments are qualified. That's why we integrated our ISTA®-certified lab into our manufacturing process, ensuring every packaging solution you receive from TemperPack meets the specific shipping needs of your shipments.</p></div> <p data-bbox="890 760 1633 792">https://www.temperpack.com/ready-engineered-solutions/</p>






	Claim Term	TemperPack ClimaCell
		 <p>Standardized Testing Against Specific Temperature Profiles</p> <p>We use a combination of thermal modeling and environmental testing chambers to validate pack-outs for temperature-sensitive shipments. We can test against any number of standard or custom thermal profiles, recommend testing profiles for your specific needs, and even develop custom profiles based on the exact packaging specifications you may need. Additionally, we develop reports for every test we perform and we'll make sure you have all of the data and paperwork needed to meet your regulatory requirements.</p> <p>VIEW A SAMPLE REPORT</p> <p>432 ISTA 7E Summer : 26.5°C Probe 1: 7.9°C Probe 2: 5.5°C Upper Threshold: 8°C Lower Threshold: 2°C</p> <p>Temperature (°C)</p> <p>Hours</p> <p>ISTA 7E Summer Probe 1 Probe 2 Upper Threshold Lower Threshold</p> <p>PREPARED BY John Doe ThermalPack TemperPack 14-Apr-2020</p> <p>REVIEWED BY Jane Doe Sr Thermal Engineer TemperPack 14-Apr-2020</p> <p>https://www.temperpack.com/lab/</p> <p>TemperPack provides samples of ClimaCell in shipping containers.</p>



	Claim Term	TemperPack ClimaCell
		<div data-bbox="1003 245 1100 331">01</div> <div data-bbox="1169 245 1461 272">RAPID PROTOTYPING</div> <div data-bbox="1169 290 1503 386"><p>Are you looking for samples to present to a manager for a meeting next week? At Proving Ground, TemperPack can produce and ship samples in days, not weeks.</p></div> <div data-bbox="659 409 1864 477"><p>https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p></div> <div data-bbox="745 513 1780 1161"></div> <div data-bbox="947 1164 1577 1196"><p>https://www.youtube.com/watch?v=ozlFBu2xt6o</p></div> <div data-bbox="632 1237 1293 1269"><p>TemperPack offers pre-kitted systems to customers.</p></div>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="913 245 1005 329"></div> <div data-bbox="913 342 1094 414"><p>PACKS AND SHIPS FLAT</p></div> <div data-bbox="913 459 1224 657"><p>ClimaCell packs flat and is easy to assemble, which means lower inbound and storage costs. Pre-kitted systems are available upon request.</p></div> <div data-bbox="1283 418 1617 673"><p>03 PRE-KITTED SYSTEMS</p><p>Don't have the labor setup to kit your ClimaCell shipping systems in-house? We can deliver pre-kitted systems anywhere in North America or Europe.</p></div> <div data-bbox="657 690 1866 760"><p>https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p></div> <div data-bbox="758 795 1766 1380"></div> <div data-bbox="896 1385 1627 1417"><p>https://www.temperpack.com/perishables/wine-shipping/</p></div>


	Claim Term	TemperPack ClimaCell
		<p data-bbox="632 272 1829 342">TemperPack's customers and end-users receive TemperPack's ClimaCell and place them into shipping containers for shipping items.</p> <div data-bbox="762 378 1749 889">  </div> <p data-bbox="1010 898 1514 930">https://www.temperpack.com/climacell</p> <div data-bbox="762 979 825 1052">  </div> <p data-bbox="762 1060 961 1117">HIGH THERMAL PERFORMANCE</p> <p data-bbox="762 1154 1010 1341">Want to move away from EPS foam without changing your pack-out? You can keep your current coolant configuration in a ClimaCell cooler, which performs just like EPS foam.</p> <div data-bbox="1136 979 1199 1052">  </div> <p data-bbox="1136 1060 1293 1117">LOW COST STRUCTURE</p> <p data-bbox="1136 1154 1383 1312">Sustainability is great, but at the end of the day, we understand that budget is always a factor. ClimaCell systems are on par with EPS in cost.</p> <div data-bbox="1507 979 1591 1052">  </div> <p data-bbox="1507 1060 1659 1117">PACKS AND SHIPS FLAT</p> <p data-bbox="1507 1154 1761 1312">ClimaCell packs flat and is easy to assemble, which means lower inbound and storage costs. Pre-kitted systems are available upon request.</p> <p data-bbox="657 1341 1866 1406">https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p>



	Claim Term	TemperPack ClimaCell
		<div data-bbox="751 269 1766 743"></div> <p data-bbox="659 743 1864 816">https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="768 232 1755 862">  <p>INCREASE SPEED ON YOUR PACKING LINE.</p> <p>Many 2-piece liner systems use floppy or flat material that is a struggle to fit into boxes. ClimaCell's structure and hinges make it easy to handle and fit into the box, saving precious seconds.</p> <p></p> <p>MAKE A GREAT IMPRESSION.</p> <p>For e-commerce businesses, opening the box is a critical moment of truth. If your insulation is sloppy, or plastic, it's a turn-off. When people open a shipment protected by ClimaCell liners, they see crisp Kraft paper protecting what they've spent their money on.</p> <p></p> </div> <p>https://www.temperpack.com/climacell</p> <div data-bbox="747 932 1776 1390">  <p></p> <p>PRE-FORMED HINGES</p> <p>Unlike other 2-piece insulation systems, ClimaCell liners are manufactured with pre-formed hinges to improve thermal performance and save you time in your pack-out operation.</p> </div> <p>https://www.temperpack.com/climacell/</p>


	Claim Term	TemperPack ClimaCell
		<p>TemperPack encourages, aids, and instructs its customers and end-users to make, use, sell or offer to sell ClimaCell in a manner that infringes this claim, at least through on-site training and product documentations, including “Hi-Fi Packout Diagrams.”</p>  <p>https://www.temperpack.com/ready-engineered-solutions/</p>  <p>https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p>


	Claim Term	TemperPack ClimaCell
		 <p data-bbox="888 402 1236 435">HiFi Pack-Out Diagrams</p> <p data-bbox="888 467 1157 516">All of our pack-out solutions include high resolution, clear diagrams for facility technicians.</p> <p data-bbox="905 573 1020 586">SEE A SAMPLE POSTER</p> <p data-bbox="888 695 1633 727">https://www.temperpack.com/ready-engineered-solutions/</p>

	Claim Term	TemperPack ClimaCell
		 <p>°ClimaCell Large Summer Pack-out</p> <p>Below are directions for packing out a Summer 14" x 14" x 14" shipment using ClimaCell.</p> <ol style="list-style-type: none"> 1 Outer Corrugated Box Assembled 14" x 14" x 14" corrugated box. 2 A & B Piece ClimaCell Insert A-piece of ClimaCell into corrugated box, ensuring the bottom flap fills the inside bottom of the box. Place B-piece of ClimaCell to line the three remaining exposed walls of the box. 3 Frozen 24oz Gel Pack Place one (1) 24oz frozen gel packs in the bottom of the ClimaCell liner. 4 2 Layers of Bubble Wrap Place two (2) sheets of bubble wrap on top of the gel pack. 5 Bubble Wrapped Payload Wrap payload in three (3) sheets of bubble wrap. 6 2 Layers of Bubble Wrap Place two (2) sheets of bubble wrap on top of the payload. 7 Frozen 24oz Gel Packs Place three (3) 24oz frozen gel packs side-by-side on top of the bubble wrap sheets. 8 Close and Seal Fold down the top flap of ClimaCell, close up the outer box, and seal with tape. <p>Gel Pack Conditioning: All gel packs should be left at room temperature for 25-30 minutes before packing into the coolers.</p> <p>Questions? For more information email sales@temperpack.com and a representative from TemperPack will reach out. You can also learn more by visiting temperpack.com.</p> <p>https://www.temperpack.com/wp-content/uploads/2020/10/LargeSummerPackout-scaled.jpg</p>

	Claim Term	TemperPack ClimaCell
1a	<p>a thermally insulating pad having a thickness between about ¼ and 4 inches and shaped to be positioned in a cavity of a rectangular prism shipping container to be adjacent to and cover one or more of a floor, four side walls and cover of the container while leaving an interior space to receive the item, wherein the pad includes:</p>	<p>TemperPack's ClimaCell includes a thermally insulating pad having a thickness between about ¼ and 4 inches and shaped to be positioned in a cavity of a rectangular prism shipping container to be adjacent to and cover one or more of a floor, four side walls and cover of the container while leaving an interior space to receive the item.</p>  <p>https://www.temperpack.com/climacell</p> <p> CERTIFIED THERMAL PERFORMANCE</p> <p>You don't have to take our word for it. With live distribution studies, ISTA-compliant chamber tests, and third-party R-Value evaluations, ClimaCell has been proven to perform on par with EPS foam.</p> <p>https://www.temperpack.com/wp-content/uploads/2020/02/Wine_Food_Catalog_Packet_v1.0-1.pdf</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="785 269 1734 802"></div> <div data-bbox="1066 802 1457 841">https://vimeo.com/783657542</div>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1722 808"><p>Earth Day 2022</p><p>Last year, we helped our customers reduce CO2e by 65MM pounds.</p></div> <p>https://www.youtube.com/watch?v=yE8BKA8IfE8</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 237 1719 1380"><p>Climacell Temperature Controlled Packaging -</p><p>The image displays two sequential frames from a YouTube video. Both frames show a person's hands, wearing a light blue long-sleeved shirt, sealing a brown cardboard box. The box is filled with a crumpled, tan-colored material, which is the ClimaCell packaging. The top frame shows the hands pressing the top flaps of the box together. The bottom frame shows the hands smoothing the top flaps. The video player interface is visible at the top and bottom of the frames, showing the title 'Climacell Temperature Controlled Packaging -', a progress bar at 1:02 / 1:40, and various control icons.</p><p>https://www.youtube.com/watch?v=g3rVkKr4Lkk</p></div>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="751 266 1768 792" data-label="Image"> </div> <p data-bbox="1003 792 1516 831">https://www.temperpack.com/climacell</p> <p data-bbox="625 863 1705 906">The pad of TemperPack's ClimaCell has a thickness between about ¼ and 4 inches.</p>

Claim Term		TemperPack ClimaCell																																																																																											
		<div><div>Ambient Profile</div><div>Duration</div><div>Temperature Profile</div><div>RESET</div></div> <table><thead><tr><th>SKU</th><th>Box Dimensions</th><th>Max. Payload Dimensions</th><th>Max Payload Volume (L)</th><th>Insulation Thickness</th><th>Temp. Profile</th><th>Duration</th></tr></thead><tbody><tr><td>TP-312-150S</td><td>13.625" x 11.125" x 12.25"</td><td>10.375" x 7.50" x 2.875"</td><td>3.50</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-312-150W</td><td>13.625" x 11.125" x 12.25"</td><td>10.375" x 7.50" x 2.875"</td><td>3.50</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-366-150</td><td>22.50" x 15.50" x 15.50"</td><td>18.50" x 11.50" x 8.00"</td><td>27.50</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-366-150F</td><td>22.50" x 15.50" x 15.50"</td><td>15.50" x 12.50" x 10.50"</td><td>33.00</td><td>1.50</td><td>-18°C</td><td>2-Day</td></tr><tr><td>TP-409-150</td><td>24.00" x 19.50" x 19.00"</td><td>21.00" x 16.50" x 12.50"</td><td>71.00</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-412-150</td><td>14.00" x 11.00" x 12.00"</td><td>10.50" x 7.50" x 5.50"</td><td>7.00</td><td>1.50</td><td>0-25°C</td><td>3-Day</td></tr><tr><td>TP-555-150</td><td>15.00" x 15.00" x 15.25"</td><td>11.25" x 11.25" x 8.00"</td><td>16.50</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-555-150F</td><td>15.00" x 15.00" x 15.25"</td><td>11.50" x 11.50" x 9.25"</td><td>20.00</td><td>1.50</td><td>-18°C</td><td>2-Day</td></tr><tr><td>TP-623-150</td><td>15.75" x 11.75" x 12.50"</td><td>12.00" x 8.00" x 4.00"</td><td>6.00</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr><tr><td>TP-623-150F</td><td>15.75" x 11.75" x 12.50"</td><td>11.75" x 7.75" x 6.50"</td><td>12.00</td><td>1.50</td><td>-18°C</td><td>2-Day</td></tr><tr><td>TP-669-300</td><td>16.00 x 16.00 x 19.00</td><td>10.00 x 10.00 x 13.00</td><td>21.00</td><td>3.0</td><td>-70°C</td><td>3-Day</td></tr><tr><td>TP-740-150</td><td>17.25" x 14.00" x 20.00"</td><td>10.50" x 10.50" x 11.25"</td><td>20.00</td><td>1.50</td><td>2-8°C</td><td>2-Day</td></tr></tbody></table> <p>https://www.temperpack.com/ready-engineered-solutions/</p>	SKU	Box Dimensions	Max. Payload Dimensions	Max Payload Volume (L)	Insulation Thickness	Temp. Profile	Duration	TP-312-150S	13.625" x 11.125" x 12.25"	10.375" x 7.50" x 2.875"	3.50	1.50	2-8°C	2-Day	TP-312-150W	13.625" x 11.125" x 12.25"	10.375" x 7.50" x 2.875"	3.50	1.50	2-8°C	2-Day	TP-366-150	22.50" x 15.50" x 15.50"	18.50" x 11.50" x 8.00"	27.50	1.50	2-8°C	2-Day	TP-366-150F	22.50" x 15.50" x 15.50"	15.50" x 12.50" x 10.50"	33.00	1.50	-18°C	2-Day	TP-409-150	24.00" x 19.50" x 19.00"	21.00" x 16.50" x 12.50"	71.00	1.50	2-8°C	2-Day	TP-412-150	14.00" x 11.00" x 12.00"	10.50" x 7.50" x 5.50"	7.00	1.50	0-25°C	3-Day	TP-555-150	15.00" x 15.00" x 15.25"	11.25" x 11.25" x 8.00"	16.50	1.50	2-8°C	2-Day	TP-555-150F	15.00" x 15.00" x 15.25"	11.50" x 11.50" x 9.25"	20.00	1.50	-18°C	2-Day	TP-623-150	15.75" x 11.75" x 12.50"	12.00" x 8.00" x 4.00"	6.00	1.50	2-8°C	2-Day	TP-623-150F	15.75" x 11.75" x 12.50"	11.75" x 7.75" x 6.50"	12.00	1.50	-18°C	2-Day	TP-669-300	16.00 x 16.00 x 19.00	10.00 x 10.00 x 13.00	21.00	3.0	-70°C	3-Day	TP-740-150	17.25" x 14.00" x 20.00"	10.50" x 10.50" x 11.25"	20.00	1.50	2-8°C	2-Day
SKU	Box Dimensions	Max. Payload Dimensions	Max Payload Volume (L)	Insulation Thickness	Temp. Profile	Duration																																																																																							
TP-312-150S	13.625" x 11.125" x 12.25"	10.375" x 7.50" x 2.875"	3.50	1.50	2-8°C	2-Day																																																																																							
TP-312-150W	13.625" x 11.125" x 12.25"	10.375" x 7.50" x 2.875"	3.50	1.50	2-8°C	2-Day																																																																																							
TP-366-150	22.50" x 15.50" x 15.50"	18.50" x 11.50" x 8.00"	27.50	1.50	2-8°C	2-Day																																																																																							
TP-366-150F	22.50" x 15.50" x 15.50"	15.50" x 12.50" x 10.50"	33.00	1.50	-18°C	2-Day																																																																																							
TP-409-150	24.00" x 19.50" x 19.00"	21.00" x 16.50" x 12.50"	71.00	1.50	2-8°C	2-Day																																																																																							
TP-412-150	14.00" x 11.00" x 12.00"	10.50" x 7.50" x 5.50"	7.00	1.50	0-25°C	3-Day																																																																																							
TP-555-150	15.00" x 15.00" x 15.25"	11.25" x 11.25" x 8.00"	16.50	1.50	2-8°C	2-Day																																																																																							
TP-555-150F	15.00" x 15.00" x 15.25"	11.50" x 11.50" x 9.25"	20.00	1.50	-18°C	2-Day																																																																																							
TP-623-150	15.75" x 11.75" x 12.50"	12.00" x 8.00" x 4.00"	6.00	1.50	2-8°C	2-Day																																																																																							
TP-623-150F	15.75" x 11.75" x 12.50"	11.75" x 7.75" x 6.50"	12.00	1.50	-18°C	2-Day																																																																																							
TP-669-300	16.00 x 16.00 x 19.00	10.00 x 10.00 x 13.00	21.00	3.0	-70°C	3-Day																																																																																							
TP-740-150	17.25" x 14.00" x 20.00"	10.50" x 10.50" x 11.25"	20.00	1.50	2-8°C	2-Day																																																																																							
1b	a porous non-corrugated panel formed primarily of starch that holds together as a single unit, wherein the panel comprises one or more rectangular plates with each respective plate dimensioned to substantially span whichever of the floor, plurality of side walls or cover of the container	<p>TemperPack’s ClimaCell includes a porous non-corrugated panel formed primarily of starch that holds together as a single unit, wherein the panel comprises one or more rectangular plates with each respective plate dimensioned to substantially span whichever of the floor, plurality of side walls or cover of the container that the respective plate is adjacent.</p> <p>ClimaCell uses “starch-based foam” that is “90% corn starch.”</p>																																																																																											

	Claim Term	TemperPack ClimaCell
	that the respective plate is adjacent, and	 <p data-bbox="1005 769 1514 802">https://www.temperpack.com/climacell</p> <p data-bbox="630 841 1285 873">ClimaCell's panel "holds together as a single unit."</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 232 1717 805">  </div> <p data-bbox="932 805 1587 841">https://www.youtube.com/watch?v=kBfw1uk3hUo</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1722 808"></div> <p data-bbox="947 808 1577 846">https://www.youtube.com/watch?v=ozlFBu2xt6o</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1719 807"><p>UnPacked: The Rise of eGrocery</p><p>7:28 / 7:50</p><p>Scroll for details</p></div> <p data-bbox="947 808 1577 846">https://www.youtube.com/watch?v=fzCmjeP-t2o</p>



	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1719 807">A YouTube video player interface showing a video titled "TemperPack Values". The video content depicts a factory setting where several workers, wearing hairnets and gloves, are handling large, rectangular, porous panels. One worker in the foreground is lifting a panel. The panels appear to be made of a light-colored, textured material. The video player includes standard controls like play, pause, and a progress bar showing 0:32 / 3:01.</div> <p data-bbox="932 808 1587 846">https://www.youtube.com/watch?v=VeFyEXsfy9Q</p> <p data-bbox="630 881 1358 919">ClimaCell comprises a porous panel, containing 96% air.</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="760 248 1761 850"><p data-bbox="1371 253 1415 266">PART 2</p><h2 data-bbox="1371 310 1635 431">The Right Ingredients</h2><p data-bbox="1371 472 1745 605">We're proud of our materials: Our first product, Fiber, used re-purposed jute and cotton liners as the primary source of insulation. This gave second life to material that would have gone to the landfill.</p><p data-bbox="1371 649 1736 841">When we designed ClimaCell, we made a purposeful choice to start with renewable, plant-based materials. This is not only good for the environment but allows for traceability and assures our supply chain will be secure. By volume, ClimaCell is over 99% air, paper, and starch.</p></div> <p data-bbox="674 855 1848 924">https://www.temperpack.com/food-and-life-sciences-companies-make-huge-environmental-impact-switching-to-climacell-in-2019/</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 232 1722 808"><p>UnPacked: The Rise of eGrocery</p></div> <p data-bbox="951 808 1581 846">https://www.youtube.com/watch?v=fzCmjeP-t2o</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1722 808">A YouTube video player interface. The video title is "UnPacked: The Rise of eGrocery". The video content shows a close-up of a brown, textured material, which is the ClimaCell panel. The video player includes a progress bar at the bottom showing 7:42 / 7:50, and various control icons like play, pause, volume, and full screen.</div> <p data-bbox="947 808 1577 846">https://www.youtube.com/watch?v=fzCmjeP-t2o</p> <p data-bbox="630 881 1360 919">The panel of TemperPack’s ClimaCell is non-corrugated.</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1719 808"></div> <p data-bbox="947 808 1577 846">https://www.youtube.com/watch?v=fzCmjeP-t2o</p> <p data-bbox="630 881 1869 992">The panel comprises one or more rectangular plates with each respective plate dimensioned to substantially span whichever of the floor, plurality of side walls or cover of the container that the respective plate is adjacent.</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="743 232 1776 764">  <p data-bbox="1010 769 1514 802">https://www.temperpack.com/climacell</p> </div> <div data-bbox="760 837 1759 1281">  <p data-bbox="1010 1286 1514 1318">https://www.temperpack.com/climacell</p> </div>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="768 232 1755 740">The image is a screenshot of a website advertisement for TemperPack ClimaCell. At the top, there is a logo for TemperPack, which consists of a colorful geometric shape followed by the text "TemperPack". Below the logo, the main visual is a photograph of a brown cardboard structure that has been folded into a sturdy, three-dimensional shape. The structure is standing on a light-colored surface. Overlaid on the image is the text "STURDY STRUCTURE" in a large, white, serif font. Below this, in a smaller white font, is the text: "Cotton fiber, macerated paper, and other starch alternatives lack structure and tend to flop in the box. ClimaCell liners are sturdy, for a secure fit." At the bottom of the image, there is a URL: "https://www.temperpack.com/climacell".</div> <p data-bbox="1010 743 1514 781">https://www.temperpack.com/climacell</p>


	Claim Term	TemperPack ClimaCell
		<div data-bbox="751 232 1770 881">  <p>The advertisement features the TemperPack logo at the top. It has a dark blue background with white text. On the right side, there is a 3D illustration of a cardboard box with its flaps open, revealing a yellow ClimaCell liner with a repeating pattern. The text on the left reads: 'INCREASE SPEED ON YOUR PACKING LINE. Many 2-piece liner systems use floppy or flat material that is a struggle to fit into boxes. ClimaCell's structure and hinges make it easy to handle and fit into the box, saving precious seconds.' Below this is an eye icon and the text 'MAKE A GREAT IMPRESSION. For e-commerce businesses, opening the box is a critical moment of truth. If your insulation is sloppy, or plastic, it's a turn-off. When people open a shipment protected by ClimaCell liners, they see crisp Kraft paper protecting what they've spent their money on.' At the bottom left is a hand icon holding a coin.</p> </div> <p data-bbox="1010 881 1514 922">https://www.temperpack.com/climacell</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="802 235 1722 808"><p>Earth Day 2022</p><p>Last year, we helped our customers reduce CO2e by 65MM pounds.</p></div> <p data-bbox="932 808 1591 844">https://www.youtube.com/watch?v=yE8BKA8IfE8</p>

	Claim Term	TemperPack ClimaCell
		<div data-bbox="814 237 1709 1351">The image contains two screenshots of a YouTube video. The top screenshot shows a person's hands in a light blue long-sleeved shirt sealing a cardboard box. The box is labeled with the ClimaCell logo and the text 'Climacell Temperature Controlled Packaging'. The bottom screenshot shows the same hands continuing to seal the box. Both screenshots have a video player interface at the bottom with a progress bar at 1:02 / 1:40. The video title 'Climacell Temperature Controlled Packaging -' is visible at the top of the player.</div> <p data-bbox="940 1356 1587 1390">https://www.youtube.com/watch?v=g3rVkJr4Lkk</p>

	Claim Term	TemperPack ClimaCell
1c	a paper film that sandwiches the panel and provides both an interior surface of the pad to face the interior space and an exterior surface of the pad to face the respective floor, plurality of side walls or cover.	<p>TemperPack's ClimaCell includes a paper film that sandwiches the panel and provides both an interior surface of the pad to face the interior space and an exterior surface of the pad to face the respective floor, plurality of side walls or cover.</p> <p>ClimaCell contains a paper film.</p>  <p>https://www.temperpack.com/climacell</p> <p>The film sandwiches the panel and provides both an interior surface of the pad to face the interior space and an exterior surface of the pad to face the respective floor, plurality of side walls or cover.</p>

	Claim Term	TemperPack ClimaCell
		 <p>A Deeper Look</p> <p>ClimaCell is a proprietary insulating material developed and manufactured by TemperPack. Much like EPS, it can be customized for different payload sizes, temperature ranges, and transit times. Unlike EPS, it is certified curbside recyclable.</p> <p>ClimaCell is composed of three parts: an outer barrier, an inner barrier, and a web of pocketed cells. The outer barrier of ClimaCell is a coated Kraft paper that resists moisture while the inner barrier is a heat activated paper that holds the pocketed cells in place.</p> <p>The patented technology in ClimaCell exists in its unique pocketed cells. These cells are a proprietary formula specifically optimized to control temperature in your shipment while resisting water solubility.</p> <p>The entire product is certified curbside recyclable so consumers can dispose of it alongside other corrugated products.</p> <p>https://www.wcpsolutions.com/news/climacell-temperature-controlled-packaging/</p>

	Claim Term	TemperPack ClimaCell
		 <p data-bbox="821 456 873 524"></p> <p data-bbox="921 488 1131 505">POLYSTYRENE ALTERNATIVE</p> <p data-bbox="821 570 1289 870">ClimaCell thermal liners help you PROTECT perishable shipments without unnecessary plastic waste.</p> <p data-bbox="1010 951 1514 984">https://www.temperpack.com/climacell</p>